

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re patent of:

UMAÑA *et al.*

Patent. No.: 7,517,670

Issued: April 14, 2009

For: **Glycosylation Engineering of  
Antibodies for Improving  
Antibody-Dependent Cellular  
Cytotoxicity**

Confirmation No.: 5455

Art Unit: 1636

Examiner: Michele K. Joike

Atty. Docket: 1975.0010005/TJS/T-M/CFN

**Request for Certificate of Correction  
Under 37 C.F.R. §§ 1.322 and 1.323**

*Attn: Certificate of Correction Branch*

Commissioner for Patents  
PO Box 1450  
Alexandria, VA 22313-1450

Sir:

It is hereby requested that a Certificate of Correction under 37 C.F.R. §§ 1.322 and 1.323 be issued for the above-captioned United States Patent. This Certificate of Correction is being requested due to mistakes which appear in the printed patent. These mistakes were made by both the U.S. Patent and Trademark Office and by Applicants. The mistakes made by Applicants are of a clerical or typographical nature, or of a minor character. Patentee(s) submit that correction of these errors does not introduce new matter.

Specifically, the printed patent contains the following errors for which a Certificate of Correction is respectfully requested:

On the title page, Item (62) ("Related U.S. Application Data"): "Division" should be replaced with "Continuation"

In column 1, line 8, "division" should be replaced with "continuation."

In column 3, line 21, "2% µg/ml" should be replaced with "2 µg/ml."

In column 3, line 45, "116B" should be replaced with "6B."

In column 4, line 8, "25 µ/g" should be replaced with "25 µg."

In column 4, line 21, "G1 cNAc" should be replaced with "GlcNAc."

In column 4, line 32, "G1 cNAc" should be replaced with "GlcNAc."

In column 19, line 17, "vectorpUHD10-3-GnTIIIm" should be replaced with "vector pUHD10-3-GnTIIIm."

In column 19, line 20, "vectorpUHD10-3-GnTV" should be replaced with "vector pUHD10-3-GnTV."

In column 28, line 4, "Contruction" should be replaced with "Construction."

In column 32, line 5, "Fe" should be replaced with "Fc."

In column 32, line 8, "already - produce" should be replaced with "already produce."

In column 39, line 34, "JgG" should be replaced with "IgG."

In column 40, line 35, there should be a hard return between "oligosaccharides;" and "(b) glycoengineering."

In column 42, line 42, "a" should be replaced by "an."

In column 43, line 6, "49" should be replaced by "40."

In column 44, line 3, "4" should be replaced by "3."

***Remarks***

The above-noted corrections do not involve such changes in the patent as would constitute new matter or would require reexamination.


The changes to Item (62) of the title page and column 1, line 8 to replace the word "division" with the word "continuation" merely correct the reference to the relationship of the subject application with its earlier-filed parent application. The benefit claim to the earlier-filed non-provisional application under 35 U.S.C. § 120 was timely made in an Application Data Sheet and in a Preliminary Amendment, both filed concurrently with the application that issued as the above-captioned patent. Accordingly, no petition or surcharge are required, and correction by Certificate of Correction is appropriate.

A completed Form PTO/SB/44 accompanies this request, with the above-noted corrections printed thereon. Accordingly, a Certificate of Correction is believed proper and issuance thereof is respectfully requested.

This request is accompanied by payment of the fee set forth in 37 C.F.R. § 1.20(a). Fee payment is provided through online credit card payment. The Commissioner is hereby authorized to charge any fee deficiency, or credit any overpayment, to our Deposit Account No. 19-0036.

Respectfully submitted,

STERNE, KESSLER, GOLDSTEIN & FOX P.L.L.C.



Timothy J. Shea, Jr.  
Attorney for Patentees  
Registration No. 41,306

Date: October 14, 2009

1100 New York Avenue, N.W.  
Washington, D.C. 20005-3934  
(202) 371-2600

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**Page 1 of 2

PATENT NO: 7,517,670

DATED: April 14, 2009

INVENTOR(S): UMAÑA *et al.*

It is certified that error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

On the title page, Item (62) ("Related U.S. Application Data"): "Division" should be replaced with "Continuation"

In column 1, line 8, "division" should be replaced with "continuation."

In column 3, line 21, "2% µg/ml" should be replaced with "2 µg/ml."

In column 3, line 45, "116B" should be replaced with "6B."

In column 4, line 8, "25 µ/g" should be replaced with "25 µg."

In column 4, line 21, "G1 cNAc" should be replaced with "GlcNAc."

In column 4, line 32, "G1 cNAc" should be replaced with "GlcNAc."

In column 19, line 17, "vectorpUHD10-3-GnTIIIm" should be replaced with "vector pUHD10-3-GnTIIIm."

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

1100 New York Avenue, NW

Washington DC 20005-3934

Atty. Dkt. No. 1975.0010005/TJS/T-M/CFN

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 2 of 2

PATENT NO: 7,517,670

DATED: April 14, 2009

INVENTOR(S): UMAÑA *et al.*

It is certified that error appears or errors appear in the above-identified patent and that said Letters Patent is hereby corrected as shown below.

In column 19, line 20, "vectorpUHD10-3-GnTV" should be replaced with "vector pUHD10-3-GnTV."

In column 28, line 4, "Contruction" should be replaced with "Construction."

In column 32, line 5, "Fe" should be replaced with "Fc."

In column 32, line 8, "already - produce" should be replaced with "already produce."

In column 39, line 34, "JgG" should be replaced with "IgG."

In column 40, line 35, there should be a hard return between "oligosaccharides;" and "(b) glycoengineering."

In column 42, line 42, "a" should be replaced by "an."

In column 43, line 6, "49" should be replaced by "40."

In column 44, line 3, "4" should be replaced by "3."

**MAILING ADDRESS OF SENDER (Please do not use customer number below):**

1100 New York Avenue, NW  
Washington DC 20005-3934

Atty. Dkt. No. 1975.0010005/TJS/T-M/CFN

This collection of information is required by 37 CFR 1.322, 1.323 and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you are required to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. **SEND TO: Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

If you need assistance in completing the form, call 1-800-PTO-9199 (1-800-786-9199) and select option 2.